CertwoodUSA: StorSystemTM ARTis Slim Line

CE2520: Slim Line, Double Column, 12 Module STEM2Maker Resource Cart (shown)



Tray Color Options:

Standard Colors: Primary Red, Primary Blue, Primary Green, Primary Yellow, Light Gray, Crystal Clear, Tinted Blue, Tinted Pink, Neon Green, Neon Orange.

(See Tote Tray Data Sheet for additional color options)

Metal Color Options:

Standard: White

Tray Size Options:

Slim Line: single 3", double 6", triple 9", and quad 12"

depth. (W 12 1/4 x L 16 3/4")

ARTis, Slim Line 12 Module Dimensions:

W 29 3/4" x H 44" x D 27 1/4"

Materials

The StorSystem "ARTis Mobile STEM2Maker Resource" cart unit frames are constructed from 16-gauge 1" (25.4mm) square welded steel tubing with an epoxy powder coated finish. The top panel is constructed from 18 gauge formed steel; epoxy powder coated sheets are securely anchored to the metal frames with machine screw fasteners. CE2530 ARTis carts have (6) six, 4-inch heavy-duty rubber tire casters (4 locking) permitting ease of movement throughout evolving educational environments.

The "shatterproof" tote tray structural Runners are molded from Acrylonitrile Butadiene Styrene (ABS) Plastic. These runners are secured to the steel frames with 1/4" tap screws. All cart solutions incorporate the patented Glide & Tilt® Tote Tray Runner System. This innovative system is specifically designed to allow the accompanying ABS tote trays to stop in an angled open position with- out falling out of the unit, making for easy access and viewing. *Additional Specifications:*

- Top panel shall be constructed from 18 gauge formed steel; baked-on epoxy coated sheets securely fastened to the steel frames with hex head machine screw fasteners. Magnetic metal side and back panels are customizable with pegboard or solid writeable panels shall be constructed from 18 gauge formed steel, baked-on epoxy coated sheets securely fastened to the steel frames with hex head machine screw fasteners.
- Product coatings are specifically designed to resist wear, abrasion, corrosion and chemicals.
- Glide & Tilt® structural runners specifically designed for steel construction shall be manufactured with a vertical alignment rail to the inside of the runner.
- Unit is provided with one full (26") depth 18ga. coated metal divider shelf that can be used to alternate the depths of the rear storage section to fit assorted sizes of larger and or tall storage options by gliding within the three lower Glide & Tilt® structural runners. Unit is provided with one short (16") depth 18ga. coated metal shelf that can be positioned within any of the three lower Glide & Tilt® structural runners.
- Optional Small Metal Tray Section Shelf glides and sets within the upper Glide & Tilt® Runners.
- ARTis provides accessible storage from the top, front, and side for effective storage solutions.